

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Standard Time

January, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 W	-1.8	-1.5	-0.8	0.2	1.5	2.6	3.2	3.0	2.0	0.7	-0.5	-1.3
	-1.7	-1.8	-1.5	-0.8	0.3	1.4	2.2	2.3	1.6	0.4	-0.7	-1.6
2 Th	-1.9	-1.9	-1.5	-0.7	0.4	1.7	2.8	3.3	2.9	1.8	0.5	-0.7
	-1.5	-1.8	-1.8	-1.4	-0.6	0.5	1.6	2.3	2.2	1.4	0.2	-0.9
3 F	-1.7	-2.0	-1.8	-1.4	-0.6	0.6	1.9	2.9	3.2	2.7	1.5	0.2
	-0.9	-1.5	-1.8	-1.7	-1.2	-0.4	0.7	1.8	2.3	2.1	1.2	0.0
4 Sa	-1.0	-1.7	-1.9	-1.7	-1.2	-0.3	0.8	2.0	2.9	3.0	2.3	1.1
	-0.1	-1.1	-1.6	-1.7	-1.5	-1.0	-0.1	1.0	1.9	2.3	1.9	1.0
5 Su	-0.2	-1.1	-1.6	-1.7	-1.5	-0.9	-0.1	1.0	2.1	2.7	2.7	1.9
	0.7	-0.4	-1.2	-1.5	-1.5	-1.3	-0.7	0.2	1.1	1.9	2.2	1.7
6 M	0.7	-0.4	-1.2	-1.5	-1.5	-1.2	-0.7	0.1	1.1	2.0	2.5	2.3
	1.5	0.3	-0.6	-1.2	-1.4	-1.3	-1.0	-0.4	0.4	1.3	1.9	2.0
7 Tu	1.4	0.4	-0.5	-1.1	-1.3	-1.2	-0.9	-0.4	0.3	1.1	1.9	2.2
	1.9	1.0	0.0	-0.8	-1.2	-1.2	-1.0	-0.7	-0.2	0.5	1.3	1.8
8 W	1.8	1.1	0.2	-0.6	-1.0	-1.1	-0.9	-0.6	-0.2	0.4	1.1	1.7
	1.9	1.5	0.6	-0.3	-0.8	-1.0	-1.0	-0.8	-0.5	0.0	0.7	1.3
9 Th	1.7	1.6	0.9	0.1	-0.6	-0.8	-0.8	-0.6	-0.4	-0.1	0.4	1.0
	1.5	1.6	1.1	0.3	-0.4	-0.9	-0.9	-0.8	-0.6	-0.3	0.1	0.7
10 F	1.3	1.6	1.4	0.8	0.0	-0.5	-0.7	-0.6	-0.5	-0.3	0.0	0.4
	1.0	1.4	1.3	0.8	0.1	-0.5	-0.8	-0.8	-0.6	-0.4	-0.2	0.2
11 Sa	0.8	1.4	1.6	1.3	0.7	0.0	-0.5	-0.6	-0.5	-0.4	-0.3	0.0
	0.4	0.9	1.2	1.2	0.6	-0.1	-0.6	-0.8	-0.8	-0.6	-0.4	-0.1
12 Su	0.3	0.9	1.5	1.6	1.3	0.7	0.0	-0.4	-0.6	-0.5	-0.4	-0.3
	-0.1	0.4	0.9	1.2	1.1	0.5	-0.2	-0.7	-0.9	-0.8	-0.6	-0.4
13 M	-0.1	0.5	1.1	1.6	1.7	1.3	0.6	-0.1	-0.5	-0.6	-0.6	-0.5
	-0.4	-0.1	0.5	1.0	1.3	1.1	0.4	-0.3	-0.8	-1.0	-0.9	-0.7
14 Tu	-0.4	0.0	0.6	1.4	1.9	1.9	1.4	0.6	-0.2	-0.6	-0.8	-0.8
	-0.7	-0.5	0.0	0.6	1.2	1.4	1.1	0.3	-0.4	-1.0	-1.1	-1.0
15 W	-0.8	-0.4	0.1	0.9	1.7	2.1	2.0	1.4	0.5	-0.4	-0.8	-1.0
	-1.0	-0.8	-0.5	0.1	0.8	1.4	1.5	1.1	0.2	-0.6	-1.2	-1.3
16 Th	-1.2	-0.8	-0.3	0.3	1.2	2.0	2.4	2.2	1.3	0.3	-0.6	-1.1
	-1.2	-1.1	-0.9	-0.4	0.3	1.1	1.7	1.7	1.0	0.0	-0.9	-1.4
17 F	-1.5	-1.3	-0.8	-0.2	0.6	1.6	2.3	2.6	2.2	1.2	0.0	-0.9
	-1.4	-1.5	-1.2	-0.8	-0.2	0.6	1.4	1.9	1.7	0.9	-0.2	-1.1
18 Sa	-1.7	-1.7	-1.4	-0.8	0.0	0.9	1.9	2.6	2.7	2.1	0.9	-0.3
	-1.2	-1.6	-1.6	-1.3	-0.7	0.0	0.9	1.7	2.1	1.7	0.8	-0.4
19 Su	-1.4	-1.9	-1.8	-1.3	-0.7	0.2	1.2	2.2	2.8	2.7	1.9	0.6
	-0.7	-1.5	-1.8	-1.6	-1.2	-0.5	0.3	1.3	2.0	2.2	1.7	0.6
20 M	-0.7	-1.6	-2.0	-1.8	-1.3	-0.5	0.4	1.4	2.3	2.8	2.5	1.5
	0.2	-1.0	-1.7	-1.9	-1.6	-1.0	-0.3	0.6	1.6	2.2	2.2	1.5
21 Tu	0.3	-0.9	-1.7	-2.0	-1.7	-1.1	-0.3	0.6	1.6	2.4	2.7	2.3
	1.2	-0.2	-1.3	-1.8	-1.8	-1.4	-0.8	0.0	0.9	1.8	2.3	2.2
22 W	1.4	0.2	-1.0	-1.7	-1.9	-1.6	-1.0	-0.2	0.7	1.6	2.3	2.5
	1.9	0.8	-0.5	-1.4	-1.8	-1.7	-1.3	-0.6	0.2	1.1	1.9	2.3
23 Th	2.1	1.3	0.0	-1.0	-1.7	-1.7	-1.4	-0.8	-0.1	0.7	1.5	2.1
	2.2	1.6	0.5	-0.7	-1.5	-1.8	-1.6	-1.1	-0.5	0.3	1.2	1.9
24 F	2.3	2.1	1.2	0.0	-1.0	-1.5	-1.5	-1.2	-0.7	-0.1	0.6	1.4
	1.9	2.0	1.3	0.3	-0.8	-1.4	-1.6	-1.4	-1.0	-0.4	0.3	1.2
25 Sa	1.9	2.3	2.0	1.2	0.1	-0.8	-1.3	-1.3	-1.1	-0.8	-0.2	0.4
	1.2	1.7	1.7	1.2	0.2	-0.8	-1.4	-1.5	-1.3	-0.9	-0.4	0.3
26 Su	1.2	1.9	2.3	2.1	1.3	0.2	-0.6	-1.1	-1.2	-1.1	-0.9	-0.4
	0.3	1.0	1.6	1.6	1.1	0.2	-0.7	-1.3	-1.4	-1.3	-1.0	-0.5
27 M	0.2	1.1	2.0	2.4	2.2	1.4	0.4	-0.5	-1.0	-1.2	-1.2	-1.0
	-0.6	0.1	1.0	1.6	1.6	1.1	0.2	-0.7	-1.2	-1.4	-1.4	-1.1
28 Tu	-0.6	0.2	1.2	2.1	2.5	2.3	1.5	0.5	-0.4	-1.0	-1.2	-1.3
	-1.2	-0.7	0.1	1.0	1.7	1.7	1.1	0.2	-0.6	-1.2	-1.5	-1.5
29 W	-1.3	-0.7	0.2	1.3	2.2	2.7	2.4	1.5	0.5	-0.4	-1.0	-1.4
	-1.5	-1.3	-0.7	0.2	1.2	1.8	1.8	1.2	0.2	-0.7	-1.3	-1.6
30 Th	-1.6	-1.4	-0.8	0.3	1.5	2.4	2.8	2.4	1.4	0.3	-0.6	-1.2
	-1.5	-1.6	-1.3	-0.6	0.4	1.5	2.1	1.9	1.2	0.1	-0.8	-1.5
31 F	-1.8	-1.8	-1.4	-0.7	0.4	1.7	2.6	2.8	2.3	1.3	0.1	-0.8
	-1.4	-1.7	-1.7	-1.2	-0.4	0.7	1.8	2.2	2.0	1.1	-0.1	-1.0

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Standard Time

February, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Sa	-1.6	-1.9	-1.8	-1.3	-0.5	0.7	1.9	2.7	2.8	2.1	0.9	-0.2
	-1.1	-1.6	-1.7	-1.6	-1.0	-0.1	1.1	2.0	2.3	1.9	0.8	-0.3
2 Su	-1.2	-1.8	-1.9	-1.7	-1.1	-0.2	1.0	2.1	2.8	2.6	1.7	0.5
	-0.6	-1.3	-1.7	-1.7	-1.4	-0.7	0.3	1.4	2.2	2.3	1.6	0.5
3 M	-0.6	-1.4	-1.8	-1.8	-1.5	-0.8	0.1	1.3	2.2	2.6	2.2	1.2
	0.0	-0.9	-1.5	-1.6	-1.5	-1.0	-0.3	0.7	1.7	2.3	2.1	1.3
4 Tu	0.2	-0.9	-1.5	-1.7	-1.5	-1.1	-0.5	0.5	1.5	2.2	2.4	1.8
	0.7	-0.4	-1.2	-1.5	-1.5	-1.2	-0.7	0.1	1.0	1.8	2.2	1.8
5 W	0.9	-0.2	-1.1	-1.5	-1.5	-1.2	-0.8	-0.1	0.7	1.5	2.1	2.0
	1.3	0.2	-0.7	-1.3	-1.4	-1.2	-0.8	-0.3	0.4	1.2	1.8	2.0
6 Th	1.5	0.6	-0.4	-1.1	-1.3	-1.2	-0.9	-0.4	0.1	0.8	1.5	1.8
	1.6	0.8	-0.2	-1.0	-1.3	-1.2	-0.9	-0.5	0.0	0.6	1.3	1.7
7 F	1.7	1.2	0.3	-0.6	-1.1	-1.1	-0.9	-0.5	-0.2	0.3	0.9	1.3
	1.5	1.2	0.4	-0.5	-1.1	-1.2	-1.0	-0.6	-0.2	0.2	0.7	1.3
8 Sa	1.6	1.5	0.9	0.1	-0.6	-1.0	-0.9	-0.6	-0.3	0.0	0.4	0.8
	1.2	1.2	0.8	0.1	-0.6	-1.0	-1.0	-0.7	-0.4	0.0	0.3	0.8
9 Su	1.2	1.5	1.3	0.7	0.0	-0.6	-0.8	-0.7	-0.4	-0.2	0.0	0.3
	0.7	1.0	1.0	0.6	-0.1	-0.7	-1.0	-0.9	-0.6	-0.2	0.0	0.3
10 M	0.8	1.2	1.4	1.2	0.7	0.0	-0.5	-0.7	-0.5	-0.3	-0.2	0.0
	0.2	0.6	0.9	0.9	0.5	-0.1	-0.7	-0.9	-0.8	-0.5	-0.2	0.0
11 Tu	0.3	0.8	1.3	1.5	1.3	0.7	0.0	-0.5	-0.6	-0.6	-0.4	-0.3
	-0.2	0.2	0.6	1.0	1.0	0.5	-0.1	-0.7	-0.9	-0.8	-0.6	-0.4
12 W	-0.1	0.3	0.9	1.5	1.7	1.4	0.8	0.0	-0.5	-0.7	-0.7	-0.6
	-0.5	-0.2	0.2	0.8	1.2	1.1	0.6	-0.1	-0.8	-1.0	-1.0	-0.8
13 Th	-0.5	-0.2	0.4	1.1	1.7	2.0	1.6	0.8	0.0	-0.7	-1.0	-1.0
	-0.9	-0.7	-0.3	0.4	1.1	1.5	1.3	0.7	-0.2	-0.9	-1.3	-1.3
14 F	-1.1	-0.7	-0.2	0.6	1.4	2.1	2.3	1.7	0.8	-0.2	-0.9	-1.3
	-1.3	-1.1	-0.7	-0.1	0.7	1.5	1.8	1.6	0.7	-0.3	-1.2	-1.6
15 Sa	-1.6	-1.3	-0.8	-0.1	0.9	1.8	2.5	2.5	1.8	0.6	-0.5	-1.3
	-1.6	-1.6	-1.2	-0.7	0.1	1.1	1.9	2.2	1.7	0.7	-0.5	-1.5
16 Su	-1.9	-1.9	-1.5	-0.8	0.1	1.2	2.2	2.8	2.6	1.7	0.4	-0.9
	-1.7	-1.9	-1.7	-1.3	-0.5	0.5	1.6	2.3	2.4	1.7	0.5	-0.8
17 M	-1.8	-2.2	-2.0	-1.5	-0.7	0.3	1.5	2.5	2.9	2.5	1.4	0.0
	-1.3	-2.0	-2.1	-1.8	-1.1	-0.2	0.9	2.0	2.6	2.5	1.6	0.3
18 Tu	-1.1	-2.0	-2.3	-2.1	-1.5	-0.5	0.6	1.8	2.7	2.9	2.3	1.1
	-0.4	-1.6	-2.2	-2.2	-1.7	-0.9	0.1	1.3	2.3	2.8	2.5	1.5
19 W	0.0	-1.4	-2.2	-2.3	-2.0	-1.3	-0.3	0.8	1.9	2.7	2.8	2.0
	0.6	-0.8	-1.8	-2.2	-2.0	-1.5	-0.6	0.4	1.6	2.5	2.8	2.4
20 Th	1.2	-0.2	-1.5	-2.1	-2.2	-1.8	-1.1	-0.1	0.9	1.9	2.5	2.5
	1.6	0.3	-1.0	-1.9	-2.1	-1.8	-1.2	-0.4	0.7	1.7	2.5	2.7
21 F	2.2	1.0	-0.4	-1.4	-2.0	-1.9	-1.5	-0.9	0.0	0.9	1.8	2.3
	2.1	1.2	0.0	-1.2	-1.8	-1.9	-1.5	-0.9	-0.2	0.7	1.7	2.4
22 Sa	2.6	2.0	0.9	-0.4	-1.3	-1.7	-1.6	-1.3	-0.7	-0.1	0.8	1.6
	2.0	1.7	0.9	-0.2	-1.1	-1.6	-1.6	-1.3	-0.8	-0.1	0.7	1.6
23 Su	2.2	2.4	1.8	0.8	-0.3	-1.0	-1.3	-1.3	-1.1	-0.7	-0.2	0.6
	1.3	1.7	1.5	0.8	-0.2	-1.0	-1.4	-1.3	-1.1	-0.7	-0.2	0.6
24 M	1.4	2.1	2.2	1.8	0.9	-0.1	-0.7	-1.0	-1.1	-1.0	-0.8	-0.3
	0.4	1.1	1.5	1.4	0.7	-0.1	-0.8	-1.1	-1.2	-1.1	-0.8	-0.3
25 Tu	0.4	1.3	2.0	2.2	1.8	1.0	0.1	-0.5	-0.9	-1.0	-1.1	-0.9
	-0.5	0.2	1.0	1.5	1.4	0.8	0.0	-0.6	-1.0	-1.1	-1.1	-1.0
26 W	-0.5	0.2	1.2	2.0	2.2	1.8	1.1	0.2	-0.4	-0.8	-1.1	-1.2
	-1.1	-0.6	0.3	1.1	1.6	1.5	0.9	0.1	-0.6	-1.0	-1.2	-1.3
27 Th	-1.2	-0.7	0.2	1.3	2.1	2.3	1.9	1.1	0.2	-0.5	-0.9	-1.3
	-1.4	-1.2	-0.5	0.4	1.3	1.8	1.7	1.0	0.1	-0.6	-1.1	-1.4
28 F	-1.5	-1.3	-0.7	0.3	1.5	2.3	2.4	1.9	1.0	0.1	-0.7	-1.2
	-1.4	-1.5	-1.1	-0.3	0.7	1.7	2.1	1.8	1.0	0.0	-0.8	-1.3

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Standard Time

March, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Sa	-1.6	-1.7	-1.3	-0.5	0.6	1.7	2.4	2.4	1.8	0.8	-0.2	-0.9
	-1.4	-1.6	-1.5	-0.9	0.0	1.2	2.0	2.3	1.8	0.8	-0.3	-1.1
2 Su	-1.6	-1.8	-1.7	-1.2	-0.3	0.9	2.0	2.6	2.3	1.5	0.4	-0.6
	-1.3	-1.6	-1.6	-1.3	-0.6	0.5	1.6	2.3	2.3	1.6	0.5	-0.6
3 M	-1.4	-1.8	-1.8	-1.6	-0.9	0.1	1.3	2.2	2.5	2.1	1.1	-0.1
	-1.0	-1.5	-1.7	-1.5	-1.0	-0.1	1.0	2.0	2.5	2.2	1.3	0.1
4 Tu	-1.0	-1.6	-1.8	-1.7	-1.3	-0.5	0.5	1.6	2.3	2.4	1.7	0.5
	-0.6	-1.3	-1.6	-1.6	-1.2	-0.6	0.4	1.4	2.2	2.4	1.9	0.9
5 W	-0.3	-1.3	-1.7	-1.7	-1.4	-0.9	-0.1	0.9	1.8	2.3	2.0	1.2
	0.0	-1.0	-1.5	-1.6	-1.3	-0.8	-0.1	0.8	1.7	2.3	2.2	1.5
6 Th	0.4	-0.7	-1.4	-1.6	-1.5	-1.0	-0.5	0.3	1.1	1.8	2.0	1.6
	0.6	-0.5	-1.3	-1.5	-1.4	-0.9	-0.4	0.3	1.1	1.8	2.2	1.9
7 F	1.1	0.0	-1.0	-1.5	-1.4	-1.1	-0.6	-0.1	0.6	1.2	1.7	1.7
	1.1	0.1	-0.8	-1.4	-1.4	-1.0	-0.5	0.0	0.6	1.2	1.8	1.9
8 Sa	1.5	0.6	-0.4	-1.1	-1.3	-1.1	-0.7	-0.3	0.2	0.7	1.2	1.4
	1.3	0.6	-0.3	-1.0	-1.3	-1.1	-0.7	-0.1	0.3	0.8	1.3	1.6
9 Su	1.6	1.2	0.3	-0.5	-1.1	-1.1	-0.8	-0.4	0.0	0.3	0.7	1.0
	1.2	0.9	0.3	-0.5	-1.0	-1.1	-0.8	-0.3	0.1	0.5	0.8	1.2
10 M	1.5	1.4	0.9	0.2	-0.6	-0.9	-0.9	-0.5	-0.2	0.1	0.3	0.6
	0.9	1.0	0.7	0.1	-0.6	-1.0	-1.0	-0.6	-0.2	0.2	0.5	0.8
11 Tu	1.1	1.4	1.3	0.8	0.1	-0.5	-0.8	-0.7	-0.4	-0.1	0.0	0.2
	0.5	0.8	0.9	0.7	0.1	-0.5	-0.9	-0.8	-0.5	-0.2	0.1	0.4
12 W	0.7	1.1	1.4	1.3	0.9	0.2	-0.4	-0.7	-0.6	-0.4	-0.3	-0.1
	0.1	0.4	0.8	1.0	0.8	0.2	-0.4	-0.8	-0.8	-0.6	-0.3	-0.1
13 Th	0.2	0.7	1.2	1.6	1.5	1.0	0.3	-0.4	-0.7	-0.8	-0.6	-0.5
	-0.3	0.0	0.6	1.1	1.3	1.0	0.3	-0.4	-0.9	-1.0	-0.9	-0.6
14 F	-0.3	0.1	0.7	1.4	1.8	1.8	1.2	0.3	-0.5	-0.9	-1.0	-0.9
	-0.8	-0.4	0.1	0.9	1.5	1.7	1.3	0.4	-0.5	-1.1	-1.3	-1.2
15 Sa	-1.0	-0.5	0.1	0.9	1.8	2.2	2.1	1.3	0.2	-0.7	-1.2	-1.4
	-1.3	-1.0	-0.4	0.4	1.3	2.0	2.1	1.5	0.5	-0.6	-1.4	-1.7
16 Su	-1.6	-1.3	-0.7	0.2	1.3	2.2	2.6	2.3	1.3	0.0	-1.0	-1.6
	-1.8	-1.5	-1.0	-0.2	0.8	1.8	2.5	2.5	1.6	0.4	-0.9	-1.8
17 M	-2.1	-1.9	-1.4	-0.6	0.4	1.6	2.6	2.9	2.3	1.1	-0.3	-1.4
	-2.0	-2.1	-1.7	-1.0	0.1	1.3	2.4	2.9	2.7	1.6	0.1	-1.2
18 Tu	-2.1	-2.4	-2.1	-1.5	-0.5	0.7	2.0	2.8	3.0	2.2	0.8	-0.7
	-1.8	-2.3	-2.2	-1.6	-0.7	0.4	1.7	2.8	3.2	2.7	1.5	-0.1
19 W	-1.5	-2.4	-2.5	-2.2	-1.4	-0.3	1.0	2.2	3.0	2.9	1.9	0.4
	-1.1	-2.1	-2.4	-2.2	-1.5	-0.4	0.8	2.1	3.1	3.3	2.6	1.2
20 Th	-0.4	-1.7	-2.4	-2.5	-2.0	-1.2	-0.1	1.2	2.3	2.9	2.6	1.5
	0.0	-1.3	-2.2	-2.3	-2.0	-1.2	-0.1	1.1	2.3	3.2	3.2	2.4
21 F	0.9	-0.6	-1.8	-2.3	-2.3	-1.8	-1.0	0.1	1.3	2.2	2.6	2.2
	1.1	-0.3	-1.5	-2.1	-2.1	-1.6	-0.9	0.1	1.3	2.3	3.0	3.0
22 Sa	2.1	0.7	-0.7	-1.7	-2.1	-1.9	-1.5	-0.8	0.2	1.2	2.0	2.3
	1.9	0.8	-0.5	-1.4	-1.9	-1.8	-1.3	-0.6	0.2	1.2	2.2	2.8
23 Su	2.6	1.8	0.5	-0.6	-1.4	-1.7	-1.6	-1.2	-0.6	0.1	1.0	1.7
	2.0	1.5	0.6	-0.5	-1.2	-1.5	-1.4	-1.0	-0.5	0.2	1.1	1.9
24 M	2.4	2.3	1.6	0.5	-0.5	-1.1	-1.3	-1.2	-1.0	-0.6	0.0	0.8
	1.4	1.7	1.3	0.5	-0.3	-0.9	-1.2	-1.1	-0.9	-0.5	0.0	0.8
25 Tu	1.6	2.1	1.5	0.6	-0.2	-0.7	-1.0	-1.0	-1.0	-1.0	-0.7	-0.2
	0.6	1.3	1.5	1.3	0.6	-0.1	-0.7	-0.9	-0.9	-0.9	-0.7	-0.2
26 W	0.6	1.4	2.0	2.0	1.5	0.7	0.0	-0.5	-0.8	-1.0	-1.0	-0.8
	-0.3	0.5	1.2	1.6	1.3	0.7	0.0	-0.5	-0.8	-0.9	-1.0	-0.9
27 Th	-0.4	0.4	1.3	1.9	2.0	1.5	0.8	0.1	-0.4	-0.8	-1.1	-1.2
	-0.9	-0.3	0.6	1.4	1.7	1.5	0.9	0.1	-0.4	-0.8	-1.1	-1.2
28 F	-1.1	-0.5	0.4	1.4	2.0	2.0	1.5	0.7	0.0	-0.5	-0.9	-1.2
	-1.2	-0.9	-0.1	0.9	1.7	2.0	1.6	0.9	0.1	-0.5	-1.0	-1.3
29 Sa	-1.4	-1.1	-0.4	0.6	1.6	2.1	2.0	1.4	0.6	-0.2	-0.8	-1.1
	-1.3	-1.2	-0.7	0.2	1.3	2.0	2.2	1.7	0.8	-0.1	-0.8	-1.2
30 Su	-1.5	-1.5	-1.1	-0.2	0.9	1.9	2.3	2.0	1.2	0.3	-0.5	-1.1
	-1.3	-1.4	-1.1	-0.4	0.7	1.7	2.4	2.3	1.5	0.5	-0.4	-1.1
31 M	-1.5	-1.6	-1.4	-0.8	0.1	1.3	2.1	2.3	1.8	0.8	-0.2	-0.9
	-1.3	-1.5	-1.3	-0.8	0.1	1.2	2.2	2.6	2.2	1.3	0.1	-0.8

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

April, 2003

(EST/EDT Daylight Savings in effect from April 6 to October 26)

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Tu	-1.4	-1.7	-1.6	-1.2	-0.5	0.6	1.6	2.3	2.2	1.5	0.4	-0.6
	-1.3	-1.5	-1.4	-1.1	-0.4	0.6	1.7	2.5	2.6	2.0	0.9	-0.3
2 W	-1.2	-1.6	-1.7	-1.4	-0.9	0.0	1.0	1.9	2.3	1.9	1.0	-0.1
	-1.0	-1.5	-1.5	-1.2	-0.7	0.1	1.1	2.0	2.6	2.4	1.6	0.4
3 Th	-0.8	-1.5	-1.7	-1.5	-1.1	-0.5	0.4	1.3	2.0	2.1	1.5	0.5
	-0.6	-1.3	-1.5	-1.3	-0.9	-0.2	0.6	1.5	2.2	2.5	2.1	1.1
4 F	-0.1	-1.1	-1.6	-1.5	-1.2	-0.7	-0.1	0.7	1.5	1.9	1.8	1.1
	0.0	-1.0	-1.5	-1.4	-1.0	-0.4	0.2	1.0	1.7	2.2	2.3	1.7
5 Sa	0.6	-0.5	-1.3	-1.5	-1.3	-0.8	-0.3	0.3	0.9	1.5	1.7	1.4
	0.6	-0.4	-1.2	-1.4	-1.1	-0.6	0.0	0.6	1.2	1.8	2.1	1.9
6 Su	1.2	0.2	-0.8	-0.8	-1.3	-1.3	-0.9	-0.5	0.0	0.5	0.9	1.3
	1.4	1.0	0.2	-0.7	-1.2	-1.2	-0.8	-0.2	0.3	0.8	1.3	1.7
7 M	1.8	1.6	0.8	-0.1	-0.9	-1.2	-1.0	-0.6	-0.2	0.2	0.5	0.9
	1.2	1.1	0.7	-0.1	-0.8	-1.1	-1.0	-0.5	0.1	0.5	0.9	1.2
8 Tu	1.5	1.6	1.3	0.6	-0.2	-0.8	-1.0	-0.8	-0.4	0.0	0.2	0.5
	0.8	1.0	1.0	0.5	-0.2	-0.7	-1.0	-0.7	-0.3	0.2	0.5	0.8
9 W	1.1	1.4	1.5	1.2	0.5	-0.2	-0.8	-0.8	-0.6	-0.3	0.0	0.2
	0.4	0.8	1.0	1.0	0.5	-0.1	-0.7	-0.8	-0.6	-0.2	0.1	0.4
10 Th	0.7	1.0	1.4	1.5	1.2	0.5	-0.2	-0.7	-0.8	-0.6	-0.4	-0.1
	0.1	0.4	0.8	1.2	1.2	0.7	0.0	-0.6	-0.8	-0.7	-0.4	-0.1
11 F	0.2	0.5	1.0	1.5	1.7	1.4	0.6	-0.2	-0.7	-0.9	-0.8	-0.6
	-0.3	0.0	0.5	1.1	1.5	1.5	0.9	0.1	-0.6	-0.9	-0.9	-0.7
12 Sa	-0.4	-0.1	0.5	1.1	1.7	1.9	1.6	0.7	-0.2	-0.9	-1.1	-1.1
	-0.9	-0.5	0.0	0.8	1.5	2.0	1.9	1.2	0.2	-0.7	-1.2	-1.3
13 Su	-1.1	-0.8	-0.3	0.5	1.4	2.1	2.2	1.7	0.7	-0.3	-1.1	-1.5
	-1.4	-1.1	-0.6	0.2	1.2	2.1	2.5	2.3	1.4	0.2	-0.9	-1.6
14 M	-1.7	-1.5	-1.1	-0.3	0.7	1.7	2.5	2.5	1.8	0.6	-0.6	-1.5
	-1.8	-1.7	-1.3	-0.5	0.5	1.7	2.6	3.0	2.6	1.4	0.0	-1.2
15 Tu	-1.9	-2.1	-1.8	-1.2	-0.3	0.9	2.1	2.8	2.7	1.8	0.4	-1.0
	-1.9	-2.2	-1.9	-1.3	-0.4	0.9	2.2	3.1	3.4	2.7	1.3	-0.3
16 W	-1.6	-2.3	-2.4	-2.0	-1.2	-0.1	1.2	2.4	3.0	2.7	1.6	0.1
	-1.3	-2.1	-2.3	-2.0	-1.2	-0.1	1.3	2.6	3.5	3.5	2.7	1.1
17 Th	-0.5	-1.8	-2.5	-2.5	-2.0	-1.1	0.1	1.4	2.5	3.0	2.5	1.3
	-0.2	-1.6	-2.3	-2.4	-1.9	-1.0	0.2	1.6	2.9	3.6	3.5	2.5
18 F	0.8	-0.8	-1.9	-2.5	-2.4	-1.8	-0.9	0.3	1.6	2.6	2.8	2.3
	1.0	-0.5	-1.7	-2.3	-2.2	-1.6	-0.7	0.5	1.8	3.0	3.6	3.3
19 Sa	2.2	0.6	-0.9	-1.9	-2.3	-2.1	-1.6	-0.7	0.4	1.6	2.4	2.6
	1.9	0.7	-0.7	-1.7	-2.0	-1.9	-1.3	-0.5	0.6	1.8	2.8	3.3
20 Su	2.9	1.8	0.4	-0.9	-1.7	-2.0	-1.8	-1.3	-0.5	0.4	1.5	2.2
	2.3	1.6	0.5	-0.7	-1.5	-1.7	-1.5	-1.0	-0.3	0.6	1.7	2.6
21 M	2.9	2.5	1.5	0.3	-0.8	-1.4	-1.6	-1.4	-1.1	-0.5	0.4	1.3
	1.9	2.0	1.4	0.4	-0.6	-1.1	-1.3	-1.1	-0.8	-0.3	0.5	1.4
22 Tu	2.2	2.5	2.2	1.3	0.3	-0.6	-1.1	-1.2	-1.2	-1.0	-0.5	0.3
	1.1	1.7	1.8	1.2	0.4	-0.4	-0.8	-0.9	-0.9	-0.7	-0.3	0.3
23 W	1.1	1.9	2.2	1.9	1.2	0.3	-0.4	-0.8	-1.0	-1.0	-0.9	-0.5
	0.2	1.0	1.6	1.7	1.2	0.5	-0.1	-0.5	-0.7	-0.8	-0.7	-0.5
24 Th	0.1	0.9	1.6	2.0	1.8	1.1	0.4	-0.2	-0.6	-0.8	-1.0	-0.9
	-0.6	0.1	1.0	1.6	1.7	1.3	0.7	0.1	-0.4	-0.6	-0.8	-0.9
25 F	-0.7	-0.1	0.8	1.6	1.9	1.7	1.1	0.4	-0.2	-0.5	-0.8	-1.0
	-1.0	-0.5	0.3	1.2	1.8	1.9	1.4	0.8	0.1	-0.4	-0.7	-0.9
26 Sa	-1.0	-0.8	-0.1	0.8	1.6	1.9	1.7	1.0	0.3	-0.3	-0.7	-0.9
	-1.1	-0.9	-0.4	0.5	1.5	2.0	2.0	1.5	0.7	0.0	-0.5	-0.9
27 Su	-1.1	-1.1	-0.8	0.0	1.0	1.7	2.0	1.6	0.9	0.1	-0.5	-0.9
	-1.1	-1.1	-0.8	-0.1	0.9	1.8	2.3	2.1	1.4	0.5	-0.2	-0.8
28 M	-1.1	-1.3	-1.2	-0.6	0.3	1.3	1.9	2.0	1.4	0.6	-0.2	-0.8
	-1.1	-1.2	-1.0	-0.5	0.3	1.4	2.2	2.5	2.1	1.2	0.2	-0.6
29 Tu	-1.1	-1.3	-1.3	-1.0	-0.3	0.6	1.6	2.1	1.9	1.2	0.2	-0.6
	-1.1	-1.2	-1.2	-0.8	-0.1	0.8	1.9	2.6	2.6	1.9	0.8	-0.2
30 W	-0.9	-1.3	-1.4	-1.2	-0.8	0.0	1.0	1.8	2.1	1.7	0.8	-0.2
	-1.0	-1.3	-1.3	-1.0	-0.5	0.3	1.3	2.3	2.7	2.5	1.6	0.4

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Eastern Daylight Savings Time

May, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Th	-0.6	-1.2	-1.5	-1.4	-1.0	-0.4	0.4	1.4	2.0	2.0	1.4	0.4
	-0.6	-1.2	-1.4	-1.2	-0.7	-0.1	0.8	1.7	2.5	2.7	2.2	1.1
2 F	-0.1	-1.0	-1.4	-1.4	-1.2	-0.7	-0.1	0.8	1.6	2.0	1.8	1.0
	-0.1	-1.0	-1.4	-1.3	-0.9	-0.3	0.4	1.2	2.0	2.6	2.5	1.8
3 Sa	0.7	-0.5	-1.2	-1.4	-1.3	-0.9	-0.4	0.3	1.0	1.6	1.8	1.4
	0.6	-0.5	-1.2	-1.4	-1.1	-0.6	0.1	0.7	1.5	2.1	2.5	2.2
4 Su	1.4	0.2	-0.8	-1.3	-1.3	-1.0	-0.6	-0.1	0.5	1.1	1.6	1.6
	1.1	0.2	-0.7	-1.2	-1.2	-0.8	-0.2	0.4	1.0	1.6	2.1	2.3
5 M	1.8	0.9	-0.1	-0.9	-1.3	-1.1	-0.7	-0.3	0.2	0.7	1.2	1.5
	1.3	0.8	-0.1	-0.9	-1.2	-1.0	-0.4	0.1	0.7	1.2	1.6	2.0
6 Tu	2.0	1.5	0.6	-0.4	-1.0	-1.1	-0.9	-0.4	0.0	0.3	0.7	1.1
	1.3	1.1	0.5	-0.3	-0.9	-1.0	-0.7	-0.2	0.3	0.8	1.2	1.6
7 W	1.8	1.8	1.2	0.4	-0.5	-1.0	-1.0	-0.7	-0.3	0.1	0.4	0.7
	1.1	1.3	1.1	0.4	-0.3	-0.8	-0.9	-0.5	-0.1	0.4	0.7	1.1
8 Th	1.5	1.7	1.6	1.1	0.3	-0.5	-0.9	-0.9	-0.6	-0.2	0.1	0.4
	0.8	1.2	1.4	1.1	0.5	-0.2	-0.7	-0.8	-0.5	-0.1	0.3	0.6
9 F	1.0	1.4	1.7	1.6	1.1	0.2	-0.5	-0.9	-0.9	-0.6	-0.3	0.0
	0.4	0.9	1.4	1.6	1.3	0.6	-0.1	-0.7	-0.8	-0.6	-0.3	0.0
10 Sa	0.4	0.9	1.4	1.8	1.7	1.1	0.2	-0.6	-1.0	-1.0	-0.8	-0.5
	-0.1	0.5	1.1	1.7	1.9	1.6	0.8	-0.1	-0.7	-1.0	-0.9	-0.6
11 Su	-0.3	0.2	0.9	1.6	2.0	1.9	1.2	0.2	-0.7	-1.2	-1.3	-1.0
	-0.6	-0.1	0.6	1.5	2.2	2.4	2.0	1.0	-0.1	-0.9	-1.3	-1.2
12 M	-1.0	-0.5	0.1	1.0	1.8	2.2	2.1	1.2	0.1	-0.9	-1.5	-1.6
	-1.3	-0.8	0.0	0.9	1.9	2.7	2.8	2.2	1.1	-0.2	-1.1	-1.6
13 Tu	-1.6	-1.3	-0.7	0.1	1.1	2.1	2.5	2.2	1.2	-0.1	-1.2	-1.8
	-1.8	-1.5	-0.8	0.1	1.3	2.4	3.2	3.2	2.4	1.0	-0.4	-1.4
14 W	-1.9	-1.9	-1.5	-0.8	0.2	1.4	2.3	2.7	2.3	1.1	-0.3	-1.4
	-2.0	-2.0	-1.6	-0.8	0.3	1.6	2.9	3.6	3.5	2.4	0.9	-0.6
15 Th	-1.7	-2.2	-2.1	-1.7	-0.8	0.3	1.6	2.6	2.8	2.2	0.9	-0.5
	-1.7	-2.2	-2.1	-1.6	-0.7	0.6	2.0	3.2	3.8	3.5	2.3	0.7
16 F	-0.8	-1.9	-2.3	-2.2	-1.6	-0.7	0.5	1.8	2.7	2.8	2.0	0.7
	-0.8	-1.8	-2.2	-2.1	-1.4	-0.5	0.8	2.2	3.4	3.8	3.4	2.1
17 Sa	0.5	-1.0	-1.9	-2.3	-2.1	-1.5	-0.5	0.7	1.9	2.6	2.6	1.8
	0.5	-0.9	-1.8	-2.1	-1.9	-1.2	-0.3	1.0	2.3	3.3	3.7	3.1
18 Su	1.8	0.2	-1.1	-1.9	-2.1	-1.9	-1.3	-0.4	0.8	1.9	2.5	2.4
	1.6	0.3	-0.9	-1.6	-1.8	-1.6	-1.0	-0.1	1.0	2.2	3.1	3.3
19 M	2.7	1.5	0.1	-1.0	-1.7	-1.8	-1.6	-1.1	-0.3	0.8	1.8	2.3
	2.2	1.3	0.2	-0.8	-1.4	-1.5	-1.3	-0.8	0.0	1.0	2.1	2.8
20 Tu	3.0	2.3	1.2	0.0	-0.9	-1.4	-1.5	-1.3	-0.9	-0.2	0.7	1.7
	2.1	2.0	1.2	0.2	-0.6	-1.1	-1.1	-1.0	-0.6	0.0	0.9	1.8
21 W	2.5	2.6	2.0	1.0	0.0	-0.8	-1.1	-1.2	-1.1	-0.8	-0.2	0.7
	1.5	2.0	1.8	1.1	0.3	-0.4	-0.8	-0.9	-0.8	-0.6	-0.1	0.7
22 Th	1.5	2.1	2.2	1.7	0.8	0.0	-0.6	-0.9	-1.0	-1.0	-0.7	-0.1
	0.7	1.5	1.9	1.8	1.1	0.4	-0.2	-0.5	-0.7	-0.7	-0.6	-0.2
23 F	0.5	1.3	1.9	2.0	1.5	0.7	0.0	-0.5	-0.7	-0.9	-0.9	-0.6
	-0.1	0.8	1.6	1.9	1.8	1.2	0.5	-0.1	-0.4	-0.6	-0.7	-0.6
24 Sa	-0.3	0.4	1.2	1.8	1.8	1.3	0.6	0.0	-0.5	-0.7	-0.8	-0.8
	-0.6	0.1	0.9	1.7	2.0	1.8	1.2	0.5	0.0	-0.4	-0.6	-0.8
25 Su	-0.7	-0.3	0.4	1.2	1.7	1.7	1.2	0.5	-0.2	-0.5	-0.7	-0.8
	-0.8	-0.4	0.3	1.2	2.0	2.2	1.8	1.1	0.4	-0.2	-0.5	-0.8
26 M	-0.9	-0.7	-0.2	0.6	1.3	1.8	1.6	1.0	0.3	-0.3	-0.7	-0.8
	-0.9	-0.7	-0.2	0.6	1.6	2.2	2.3	1.8	1.0	0.2	-0.4	-0.7
27 Tu	-0.9	-0.9	-0.7	-0.1	0.8	1.5	1.8	1.5	0.8	0.0	-0.6	-0.9
	-0.9	-0.8	-0.5	0.1	1.0	2.0	2.5	2.4	1.7	0.7	-0.1	-0.6
28 W	-0.9	-1.0	-0.9	-0.5	0.2	1.1	1.7	1.8	1.4	0.5	-0.3	-0.8
	-1.0	-1.0	-0.7	-0.3	0.5	1.5	2.3	2.6	2.3	1.4	0.4	-0.4
29 Th	-0.9	-1.1	-1.1	-0.8	-0.3	0.5	1.3	1.9	1.8	1.1	0.2	-0.6
	-1.1	-1.1	-0.9	-0.5	0.1	0.9	1.9	2.6	2.7	2.1	1.1	0.0
30 F	-0.8	-1.1	-1.2	-1.0	-0.6	0.0	0.8	1.6	1.9	1.6	0.8	-0.2
	-0.9	-1.2	-1.1	-0.8	-0.3	0.4	1.3	2.2	2.7	2.6	1.8	0.7
31 Sa	-0.3	-1.0	-1.2	-1.2	-0.9	-0.4	0.3	1.1	1.7	1.9	1.4	0.5
	-0.5	-1.1	-1.2	-1.0	-0.5	0.1	0.8	1.6	2.4	2.7	2.4	1.5

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Eastern Daylight Savings Time

June, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Su	0.3	-0.7	-1.2	-1.3	-1.0	-0.7	-0.1	0.5	1.3	1.7	1.7	1.1
	0.2	-0.7	-1.2	-1.2	-0.8	-0.2	0.4	1.1	1.9	2.4	2.6	2.1
2 M	1.1	-0.1	-0.9	-1.3	-1.2	-0.8	-0.4	0.1	0.7	1.4	1.7	1.5
	0.8	-0.1	-0.9	-1.2	-1.0	-0.5	0.1	0.7	1.3	2.0	2.4	2.4
3 Tu	1.7	0.7	-0.4	-1.1	-1.2	-1.0	-0.6	-0.2	0.3	0.9	1.4	1.7
	1.4	0.6	-0.3	-0.9	-1.1	-0.8	-0.3	0.3	0.8	1.4	2.0	2.3
4 W	2.1	1.4	0.4	-0.6	-1.1	-1.2	-0.8	-0.4	0.0	0.5	1.0	1.5
	1.6	1.2	0.4	-0.4	-0.9	-1.0	-0.6	-0.1	0.4	0.9	1.4	1.9
5 Th	2.1	1.9	1.1	0.1	-0.7	-1.1	-1.1	-0.7	-0.3	0.1	0.6	1.1
	1.6	1.6	1.2	0.4	-0.4	-0.9	-0.9	-0.5	0.0	0.4	0.9	1.4
6 F	1.8	2.0	1.7	0.9	-0.1	-0.8	-1.1	-1.0	-0.6	-0.2	0.2	0.7
	1.3	1.7	1.7	1.2	0.4	-0.4	-0.8	-0.8	-0.5	-0.1	0.4	0.8
7 Sa	1.3	1.8	1.9	1.6	0.8	-0.2	-0.9	-1.2	-1.0	-0.6	-0.2	0.3
	0.9	1.5	1.9	1.9	1.4	0.5	-0.4	-0.8	-0.9	-0.6	-0.2	0.2
8 Su	0.7	1.3	1.8	2.0	1.6	0.7	-0.3	-1.0	-1.3	-1.1	-0.7	-0.2
	0.3	1.0	1.8	2.3	2.2	1.6	0.6	-0.3	-0.9	-1.0	-0.8	-0.5
9 M	0.0	0.6	1.3	1.9	2.0	1.6	0.7	-0.4	-1.1	-1.4	-1.2	-0.9
	-0.3	0.4	1.3	2.1	2.7	2.5	1.8	0.7	-0.4	-1.0	-1.2	-1.1
10 Tu	-0.7	-0.2	0.5	1.3	2.0	2.2	1.6	0.6	-0.5	-1.3	-1.6	-1.4
	-1.0	-0.3	0.5	1.6	2.5	3.0	2.9	2.0	0.7	-0.4	-1.2	-1.5
11 W	-1.4	-1.0	-0.4	0.5	1.5	2.2	2.3	1.7	0.6	-0.6	-1.4	-1.7
	-1.6	-1.1	-0.3	0.7	1.9	2.9	3.4	3.1	2.0	0.7	-0.6	-1.4
12 Th	-1.7	-1.6	-1.2	-0.5	0.6	1.6	2.4	2.4	1.7	0.5	-0.8	-1.6
	-1.9	-1.7	-1.2	-0.3	0.9	2.2	3.2	3.7	3.2	2.0	0.5	-0.8
13 F	-1.6	-1.9	-1.8	-1.3	-0.4	0.7	1.8	2.5	2.5	1.6	0.4	-0.9
	-1.7	-2.0	-1.8	-1.1	-0.2	1.1	2.4	3.4	3.8	3.2	1.9	0.4
14 Sa	-0.9	-1.7	-2.0	-1.8	-1.3	-0.3	0.8	2.0	2.6	2.5	1.5	0.2
	-1.0	-1.8	-2.0	-1.7	-1.1	-0.1	1.2	2.6	3.5	3.7	3.0	1.7
15 Su	0.1	-1.1	-1.8	-2.0	-1.8	-1.2	-0.2	1.0	2.1	2.6	2.4	1.4
	0.1	-1.0	-1.7	-1.9	-1.6	-0.9	0.1	1.3	2.6	3.5	3.5	2.7
16 M	1.4	-0.1	-1.2	-1.7	-1.9	-1.6	-1.0	0.0	1.1	2.1	2.6	2.2
	1.2	0.0	-1.0	-1.6	-1.6	-1.3	-0.7	0.2	1.4	2.5	3.3	3.2
17 Tu	2.4	1.1	-0.2	-1.2	-1.6	-1.7	-1.4	-0.8	0.1	1.2	2.1	2.5
	2.1	1.1	0.0	-0.9	-1.4	-1.4	-1.1	-0.6	0.3	1.4	2.4	3.0
18 W	2.8	2.0	0.8	-0.3	-1.1	-1.4	-1.4	-1.2	-0.6	0.3	1.3	2.1
	2.3	1.9	1.0	0.0	-0.8	-1.1	-1.1	-0.9	-0.4	0.3	1.3	2.2
19 Th	2.6	2.4	1.6	0.5	-0.4	-1.0	-1.2	-1.2	-0.9	-0.4	0.4	1.3
	2.0	2.2	1.7	0.9	0.0	-0.6	-0.8	-0.8	-0.7	-0.3	0.3	1.2
20 F	1.9	2.3	2.0	1.2	0.3	-0.5	-0.9	-1.0	-1.0	-0.7	-0.3	0.5
	1.4	2.0	2.1	1.6	0.8	0.1	-0.4	-0.6	-0.6	-0.5	-0.3	0.3
21 Sa	1.0	1.7	2.0	1.7	0.9	0.1	-0.5	-0.8	-0.8	-0.8	-0.6	-0.1
	0.6	1.4	2.0	2.0	1.5	0.8	0.1	-0.3	-0.5	-0.5	-0.5	-0.2
22 Su	0.3	1.0	1.6	1.8	1.4	0.7	0.0	-0.5	-0.7	-0.7	-0.6	-0.4
	0.0	0.8	1.6	2.0	2.0	1.5	0.7	0.1	-0.2	-0.4	-0.5	-0.5
23 M	-0.2	0.3	0.9	1.5	1.6	1.2	0.5	-0.1	-0.5	-0.7	-0.6	-0.5
	-0.3	0.2	1.0	1.7	2.1	2.0	1.4	0.6	0.1	-0.3	-0.4	-0.5
24 Tu	-0.5	-0.2	0.3	1.0	1.5	1.5	1.1	0.3	-0.3	-0.6	-0.7	-0.6
	-0.5	-0.1	0.5	1.3	2.0	2.3	2.0	1.3	0.5	-0.1	-0.4	-0.5
25 W	-0.6	-0.5	-0.2	0.4	1.1	1.6	1.5	0.9	0.2	-0.4	-0.7	-0.7
	-0.6	-0.4	0.0	0.7	1.6	2.2	2.4	2.0	1.1	0.3	-0.3	-0.6
26 Th	-0.7	-0.7	-0.5	-0.1	0.6	1.3	1.6	1.4	0.8	0.0	-0.6	-0.9
	-0.8	-0.6	-0.3	0.3	1.0	1.9	2.5	2.5	1.9	0.9	0.1	-0.5
27 F	-0.8	-0.8	-0.7	-0.5	0.1	0.8	1.5	1.7	1.4	0.6	-0.2	-0.8
	-1.0	-0.8	-0.6	-0.1	0.5	1.4	2.2	2.6	2.5	1.7	0.7	-0.2
28 Sa	-0.8	-1.0	-0.9	-0.7	-0.3	0.3	1.1	1.7	1.8	1.3	0.4	-0.5
	-1.0	-1.1	-0.8	-0.4	0.1	0.8	1.7	2.5	2.7	2.4	1.5	0.4
29 Su	-0.5	-1.0	-1.1	-1.0	-0.7	-0.1	0.6	1.3	1.8	1.7	1.1	0.1
	-0.7	-1.1	-1.1	-0.8	-0.3	0.3	1.1	2.0	2.6	2.7	2.2	1.1
30 M	0.0	-0.8	-1.2	-1.2	-0.9	-0.5	0.1	0.8	1.6	1.9	1.7	0.9
	-0.1	-0.9	-1.2	-1.1	-0.6	-0.1	0.6	1.4	2.2	2.7	2.6	1.9

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Eastern Daylight Savings Time

July, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Tu	0.8	-0.3	-1.1	-1.3	-1.1	-0.8	-0.3	0.3	1.1	1.7	2.0	1.6
	0.7	-0.3	-1.0	-1.2	-1.0	-0.5	0.1	0.8	1.6	2.3	2.7	2.5
2 W	1.6	0.4	-0.6	-1.2	-1.3	-1.1	-0.6	-0.1	0.6	1.3	1.9	2.0
	1.4	0.5	-0.5	-1.1	-1.2	-0.9	-0.3	0.3	1.0	1.7	2.4	2.6
3 Th	2.2	1.2	0.1	-0.9	-1.3	-1.3	-0.9	-0.4	0.2	0.9	1.6	2.0
	2.0	1.3	0.3	-0.6	-1.1	-1.1	-0.7	-0.2	0.4	1.1	1.8	2.3
4 F	2.4	1.9	0.9	-0.2	-1.1	-1.4	-1.2	-0.8	-0.2	0.4	1.1	1.7
	2.1	2.0	1.2	0.2	-0.7	-1.1	-1.0	-0.6	-0.1	0.5	1.1	1.8
5 Sa	2.2	2.2	1.6	0.6	-0.5	-1.2	-1.4	-1.1	-0.6	-0.1	0.6	1.3
	1.9	2.2	2.0	1.2	0.2	-0.7	-1.0	-0.9	-0.6	-0.1	0.5	1.1
6 Su	1.7	2.1	2.0	1.4	0.4	-0.6	-1.3	-1.3	-1.0	-0.5	0.0	0.7
	1.4	2.1	2.4	2.1	1.3	0.2	-0.6	-1.0	-0.9	-0.6	-0.2	0.3
7 M	1.0	1.6	2.0	1.9	1.2	0.2	-0.7	-1.3	-1.3	-1.0	-0.5	0.1
	0.8	1.6	2.3	2.6	2.2	1.4	0.3	-0.6	-1.0	-0.9	-0.7	-0.3
8 Tu	0.2	0.8	1.5	2.0	1.9	1.2	0.1	-0.8	-1.3	-1.4	-1.1	-0.6
	0.1	0.9	1.8	2.5	2.8	2.4	1.5	0.4	-0.5	-1.0	-1.0	-0.9
9 W	-0.5	0.0	0.8	1.5	2.0	1.9	1.2	0.1	-0.8	-1.3	-1.4	-1.1
	-0.7	0.0	0.9	2.0	2.8	3.1	2.6	1.6	0.4	-0.5	-1.1	-1.2
10 Th	-1.1	-0.7	-0.1	0.7	1.6	2.1	2.0	1.2	0.1	-0.8	-1.4	-1.5
	-1.3	-0.8	0.0	1.0	2.2	3.0	3.3	2.7	1.6	0.4	-0.6	-1.2
11 F	-1.4	-1.3	-0.9	-0.2	0.8	1.7	2.2	2.1	1.2	0.1	-0.9	-1.5
	-1.6	-1.4	-0.8	0.0	1.2	2.4	3.3	3.4	2.8	1.6	0.3	-0.7
12 Sa	-1.4	-1.6	-1.5	-1.0	-0.2	0.9	1.9	2.4	2.2	1.2	0.0	-1.0
	-1.5	-1.7	-1.4	-0.9	0.1	1.3	2.6	3.4	3.5	2.7	1.5	0.1
13 Su	-0.9	-1.5	-1.7	-1.5	-1.0	0.0	1.1	2.1	2.6	2.2	1.2	0.0
	-1.0	-1.6	-1.7	-1.4	-0.8	0.2	1.5	2.7	3.5	3.4	2.6	1.2
14 M	-0.1	-1.1	-1.6	-1.8	-1.5	-0.9	0.2	1.4	2.3	2.6	2.2	1.1
	-0.1	-1.1	-1.6	-1.7	-1.4	-0.7	0.3	1.6	2.8	3.4	3.2	2.3
15 Tu	0.9	-0.4	-1.2	-1.7	-1.7	-1.4	-0.7	0.4	1.6	2.5	2.6	2.0
	0.9	-0.3	-1.1	-1.5	-1.5	-1.2	-0.5	0.5	1.7	2.8	3.2	2.9
16 W	1.9	0.6	-0.6	-1.3	-1.6	-1.5	-1.1	-0.4	0.7	1.8	2.5	2.5
	1.9	0.7	-0.4	-1.1	-1.4	-1.3	-1.0	-0.3	0.7	1.8	2.7	3.0
17 Th	2.5	1.4	0.2	-0.8	-1.3	-1.4	-1.3	-0.9	-0.1	0.9	1.9	2.5
	2.4	1.6	0.5	-0.4	-1.0	-1.2	-1.0	-0.7	-0.1	0.8	1.8	2.5
18 F	2.6	2.0	1.0	-0.1	-0.9	-1.2	-1.2	-1.0	-0.5	0.2	1.1	2.0
	2.4	2.2	1.4	0.4	-0.4	-0.8	-0.9	-0.7	-0.4	0.1	0.9	1.7
19 Sa	2.2	2.2	1.5	0.6	-0.3	-0.9	-1.0	-1.0	-0.7	-0.3	0.4	1.2
	2.0	2.3	1.9	1.2	0.3	-0.4	-0.6	-0.6	-0.5	-0.2	0.2	0.9
20 Su	1.5	1.9	1.8	1.1	0.3	-0.5	-0.8	-0.9	-0.7	-0.4	0.0	0.6
	1.3	1.9	2.1	1.7	1.0	0.2	-0.3	-0.5	-0.4	-0.3	-0.1	0.3
21 M	0.8	1.4	1.7	1.5	0.8	0.0	-0.5	-0.7	-0.7	-0.5	-0.2	0.2
	0.7	1.4	1.9	2.0	1.6	0.9	0.2	-0.2	-0.3	-0.3	-0.2	-0.1
22 Tu	0.3	0.8	1.3	1.5	1.2	0.6	-0.1	-0.6	-0.7	-0.5	-0.3	-0.1
	0.3	0.8	1.5	2.0	2.0	1.5	0.8	0.2	-0.2	-0.3	-0.2	-0.2
23 W	-0.1	0.2	0.7	1.2	1.4	1.1	0.4	-0.2	-0.6	-0.6	-0.5	-0.3
	0.0	0.4	1.0	1.6	2.1	2.0	1.5	0.7	0.1	-0.2	-0.3	-0.3
24 Th	-0.3	-0.1	0.2	0.8	1.3	1.4	1.0	0.4	-0.3	-0.6	-0.6	-0.5
	-0.2	0.0	0.5	1.2	1.8	2.2	2.1	1.4	0.7	0.0	-0.3	-0.4
25 F	-0.4	-0.4	-0.2	0.3	0.9	1.4	1.4	1.0	0.3	-0.3	-0.7	-0.7
	-0.5	-0.3	0.1	0.7	1.4	2.1	2.4	2.1	1.4	0.5	-0.2	-0.5
26 Sa	-0.6	-0.6	-0.5	-0.2	0.4	1.1	1.6	1.5	1.0	0.2	-0.5	-0.8
	-0.8	-0.6	-0.3	0.2	0.9	1.7	2.4	2.6	2.1	1.3	0.3	-0.4
27 Su	-0.8	-0.8	-0.8	-0.5	0.0	0.7	1.4	1.8	1.6	1.0	0.1	-0.7
	-1.0	-0.9	-0.7	-0.3	0.3	1.1	2.0	2.6	2.7	2.1	1.1	0.0
28 M	-0.7	-1.0	-1.0	-0.9	-0.5	0.2	1.0	1.7	2.0	1.7	0.9	-0.1
	-0.9	-1.2	-1.1	-0.7	-0.2	0.5	1.5	2.3	2.9	2.7	1.9	0.7
29 Tu	-0.3	-1.0	-1.3	-1.2	-0.8	-0.3	0.5	1.3	2.0	2.2	1.7	0.7
	-0.4	-1.1	-1.3	-1.1	-0.7	0.0	0.8	1.8	2.6	3.0	2.6	1.6
30 W	0.4	-0.7	-1.3	-1.4	-1.2	-0.7	0.0	0.8	1.7	2.3	2.3	1.6
	0.5	-0.6	-1.3	-1.4	-1.1	-0.6	0.2	1.1	2.0	2.7	2.9	2.4
31 Th	1.3	0.0	-1.1	-1.5	-1.5	-1.1	-0.5	0.3	1.2	2.0	2.5	2.3
	1.4	0.2	-0.8	-1.4	-1.4	-1.0	-0.4	0.4	1.3	2.2	2.8	2.8

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Eastern Daylight Savings Time

August, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 F	2.1	0.8	-0.4	-1.3	-1.6	-1.4	-0.9	-0.2	0.6	1.5	2.3	2.6
	2.2	1.3	0.0	-1.0	-1.4	-1.4	-0.9	-0.2	0.5	1.4	2.2	2.7
2 Sa	2.5	1.7	0.4	-0.7	-1.5	-1.6	-1.3	-0.7	0.0	0.9	1.8	2.4
	2.6	2.1	1.1	-0.1	-1.0	-1.4	-1.2	-0.7	-0.1	0.6	1.4	2.1
3 Su	2.5	2.2	1.3	0.1	-1.0	-1.5	-1.5	-1.1	-0.5	0.2	1.1	1.9
	2.5	2.6	2.1	1.0	-0.1	-1.0	-1.2	-1.0	-0.6	0.0	0.6	1.3
4 M	2.0	2.2	1.9	1.0	-0.1	-1.0	-1.5	-1.4	-0.9	-0.3	0.4	1.2
	2.0	2.6	2.6	2.0	1.0	-0.1	-0.8	-1.0	-0.9	-0.5	-0.1	0.5
5 Tu	1.2	1.8	2.0	1.7	0.8	-0.2	-1.0	-1.3	-1.2	-0.8	-0.3	0.4
	1.2	2.0	2.6	2.7	2.1	1.0	0.0	-0.7	-0.9	-0.8	-0.6	-0.2
6 W	0.3	1.0	1.6	1.9	1.6	0.8	-0.2	-0.9	-1.2	-1.1	-0.8	-0.3
	0.4	1.2	2.1	2.7	2.7	2.1	1.2	0.2	-0.5	-0.8	-0.8	-0.7
7 Th	-0.4	0.1	0.9	1.6	1.9	1.6	0.8	-0.1	-0.8	-1.1	-1.1	-0.8
	-0.4	0.3	1.2	2.1	2.8	2.9	2.3	1.3	0.3	-0.5	-0.8	-1.0
8 F	-0.9	-0.6	0.0	0.8	1.6	2.0	1.7	0.9	0.0	-0.8	-1.1	-1.2
	-1.0	-0.6	0.2	1.2	2.2	2.9	3.0	2.4	1.3	0.3	-0.5	-1.0
9 Sa	-1.2	-1.1	-0.8	0.0	0.9	1.8	2.2	1.8	1.0	0.0	-0.8	-1.2
	-1.3	-1.1	-0.7	0.1	1.3	2.4	3.1	3.1	2.4	1.3	0.2	-0.7
10 Su	-1.2	-1.4	-1.3	-0.8	0.1	1.2	2.1	2.4	2.0	1.0	0.0	-0.9
	-1.3	-1.4	-1.3	-0.7	0.2	1.4	2.6	3.3	3.1	2.3	1.1	0.0
11 M	-0.9	-1.4	-1.5	-1.3	-0.7	0.3	1.5	2.3	2.6	2.0	1.0	-0.1
	-1.0	-1.4	-1.5	-1.3	-0.7	0.4	1.6	2.8	3.3	3.0	2.1	0.8
12 Tu	-0.3	-1.1	-1.5	-1.6	-1.3	-0.5	0.6	1.8	2.6	2.7	2.0	0.8
	-0.3	-1.1	-1.5	-1.5	-1.2	-0.5	0.6	1.9	2.9	3.3	2.8	1.7
13 W	0.4	-0.7	-1.3	-1.6	-1.5	-1.0	-0.1	1.0	2.1	2.8	2.6	1.8
	0.6	-0.5	-1.2	-1.5	-1.4	-1.0	-0.2	0.9	2.1	2.9	3.1	2.4
14 Th	1.2	0.0	-1.0	-1.4	-1.5	-1.3	-0.7	0.2	1.4	2.4	2.8	2.5
	1.5	0.3	-0.7	-1.3	-1.4	-1.2	-0.7	0.1	1.1	2.2	2.8	2.7
15 F	1.9	0.7	-0.4	-1.1	-1.4	-1.3	-1.0	-0.3	0.6	1.7	2.5	2.7
	2.2	1.1	0.0	-0.8	-1.2	-1.2	-0.9	-0.4	0.4	1.3	2.2	2.6
16 Sa	2.3	1.4	0.2	-0.7	-1.2	-1.3	-1.0	-0.6	0.1	0.9	1.8	2.5
	2.5	1.8	0.8	-0.2	-0.8	-1.0	-0.8	-0.5	0.0	0.6	1.4	2.0
17 Su	2.2	1.8	0.9	-0.2	-0.9	-1.1	-1.0	-0.6	-0.2	0.4	1.2	1.9
	2.3	2.2	1.5	0.5	-0.3	-0.7	-0.7	-0.5	-0.2	0.2	0.7	1.3
18 M	1.8	1.8	1.3	0.4	-0.4	-0.9	-0.9	-0.7	-0.3	0.1	0.6	1.3
	1.9	2.1	1.9	1.2	0.3	-0.3	-0.5	-0.4	-0.2	0.0	0.3	0.7
19 Tu	1.2	1.6	1.5	0.9	0.2	-0.5	-0.8	-0.7	-0.4	0.0	0.3	0.8
	1.3	1.8	2.0	1.7	1.0	0.3	-0.2	-0.4	-0.2	0.0	0.1	0.3
20 W	0.7	1.1	1.3	1.2	0.7	0.0	-0.5	-0.7	-0.5	-0.2	0.1	0.4
	0.8	1.3	1.8	1.9	1.6	0.9	0.3	-0.1	-0.2	-0.1	0.0	0.1
21 Th	0.3	0.6	1.0	1.2	1.1	0.6	0.0	-0.5	-0.5	-0.3	-0.1	0.2
	0.4	0.8	1.3	1.8	1.9	1.6	0.9	0.3	-0.1	-0.2	-0.1	-0.1
22 F	0.0	0.2	0.5	1.0	1.2	1.1	0.6	0.0	-0.4	-0.5	-0.3	-0.1
	0.1	0.4	0.9	1.4	1.9	2.0	1.6	0.9	0.3	-0.2	-0.3	-0.3
23 Sa	-0.2	-0.2	0.1	0.6	1.1	1.4	1.2	0.7	0.0	-0.5	-0.6	-0.5
	-0.3	0.0	0.4	1.0	1.7	2.2	2.2	1.7	0.9	0.2	-0.3	-0.5
24 Su	-0.5	-0.5	-0.3	0.1	0.8	1.4	1.7	1.4	0.7	-0.1	-0.6	-0.8
	-0.7	-0.4	-0.1	0.4	1.2	2.0	2.5	2.4	1.8	0.8	-0.1	-0.6
25 M	-0.8	-0.8	-0.7	-0.3	0.3	1.1	1.8	2.0	1.6	0.7	-0.2	-0.8
	-1.0	-0.9	-0.6	-0.1	0.6	1.5	2.3	2.8	2.5	1.7	0.6	-0.4
26 Tu	-1.0	-1.2	-1.1	-0.7	-0.2	0.7	1.6	2.2	2.3	1.6	0.6	-0.4
	-1.1	-1.3	-1.1	-0.7	-0.1	0.8	1.9	2.7	3.0	2.5	1.5	0.2
27 W	-0.8	-1.4	-1.4	-1.2	-0.7	0.1	1.1	2.1	2.6	2.5	1.6	0.4
	-0.7	-1.4	-1.5	-1.3	-0.7	0.1	1.1	2.2	3.0	3.1	2.4	1.1
28 Th	-0.2	-1.2	-1.7	-1.6	-1.2	-0.5	0.5	1.6	2.5	2.9	2.5	1.5
	0.1	-1.0	-1.7	-1.7	-1.3	-0.6	0.3	1.4	2.5	3.1	3.0	2.1
29 F	0.7	-0.7	-1.6	-1.8	-1.6	-1.0	-0.2	0.9	2.0	2.8	3.1	2.5
	1.2	-0.2	-1.3	-1.8	-1.7	-1.2	-0.4	0.6	1.7	2.6	3.1	2.7
30 Sa	1.7	0.3	-1.0	-1.8	-1.9	-1.5	-0.7	0.2	1.3	2.3	3.0	3.1
	2.3	1.0	-0.4	-1.4	-1.7	-1.5	-1.0	-0.2	0.8	1.8	2.6	2.9
31 Su	2.4	1.3	-0.1	-1.3	-1.8	-1.7	-1.2	-0.5	0.5	1.5	2.5	3.1
	3.0	2.1	0.8	-0.5	-1.3	-1.6	-1.3	-0.8	0.0	0.8	1.7	2.4

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Eastern Daylight Savings Time

September, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 M	2.6	2.0	0.9	-0.4	-1.3	-1.7	-1.5	-0.9	-0.2	0.7	1.6	2.5
	3.0	2.8	1.9	0.7	-0.5	-1.2	-1.3	-1.1	-0.6	0.0	0.8	1.6
2 Tu	2.1	2.2	1.7	0.6	-0.5	-1.3	-1.5	-1.2	-0.7	0.0	0.7	1.6
	2.4	2.9	2.6	1.8	0.7	-0.3	-0.9	-1.0	-0.8	-0.5	0.0	0.6
3 W	1.3	1.9	1.9	1.4	0.5	-0.5	-1.1	-1.2	-1.0	-0.6	0.0	0.7
	1.5	2.3	2.7	2.5	1.8	0.8	-0.1	-0.6	-0.8	-0.7	-0.5	-0.2
4 Th	0.4	1.1	1.7	1.8	1.3	0.5	-0.3	-0.8	-1.0	-0.8	-0.5	-0.1
	0.5	1.4	2.2	2.7	2.5	1.8	0.9	0.1	-0.4	-0.7	-0.7	-0.7
5 F	-0.4	0.2	1.0	1.6	1.8	1.4	0.7	-0.1	-0.6	-0.8	-0.8	-0.7
	-0.3	0.3	1.2	2.1	2.7	2.6	1.9	1.0	0.2	-0.4	-0.7	-0.9
6 Sa	-0.9	-0.6	0.1	1.0	1.7	1.9	1.6	0.8	0.0	-0.5	-0.8	-0.9
	-0.9	-0.5	0.2	1.2	2.2	2.8	2.7	2.0	1.1	0.2	-0.4	-0.8
7 Su	-1.1	-1.0	-0.6	0.2	1.2	2.0	2.2	1.7	0.9	0.1	-0.6	-1.0
	-1.1	-1.1	-0.6	0.2	1.3	2.4	2.9	2.7	2.0	1.0	0.0	-0.6
8 M	-1.1	-1.3	-1.1	-0.6	0.4	1.5	2.3	2.4	1.9	0.9	0.0	-0.7
	-1.2	-1.3	-1.2	-0.6	0.3	1.6	2.6	3.0	2.7	1.8	0.7	-0.3
9 Tu	-0.9	-1.3	-1.4	-1.1	-0.3	0.8	1.9	2.6	2.6	1.8	0.8	-0.2
	-1.0	-1.4	-1.4	-1.2	-0.5	0.6	1.9	2.8	3.1	2.5	1.5	0.3
10 W	-0.6	-1.2	-1.5	-1.4	-0.9	0.0	1.2	2.3	2.9	2.6	1.7	0.5
	-0.5	-1.2	-1.5	-1.4	-1.0	-0.2	1.0	2.2	2.9	2.9	2.2	1.0
11 Th	-0.2	-1.0	-1.4	-1.5	-1.2	-0.5	0.5	1.7	2.7	2.9	2.4	1.4
	0.1	-0.8	-1.3	-1.5	-1.3	-0.7	0.2	1.3	2.4	2.9	2.6	1.7
12 F	0.5	-0.6	-1.3	-1.5	-1.3	-0.9	-0.1	1.0	2.1	2.8	2.9	2.1
	1.0	-0.2	-1.0	-1.4	-1.3	-1.0	-0.3	0.6	1.6	2.4	2.7	2.2
13 Sa	1.1	0.0	-1.0	-1.4	-1.3	-1.0	-0.4	0.4	1.4	2.3	2.8	2.6
	1.7	0.5	-0.5	-1.1	-1.2	-1.0	-0.6	0.1	0.9	1.8	2.3	2.4
14 Su	1.7	0.6	-0.5	-1.1	-1.3	-1.1	-0.6	0.0	0.8	1.7	2.4	2.6
	2.2	1.3	0.2	-0.7	-1.0	-1.0	-0.6	-0.2	0.4	1.1	1.8	2.1
15 M	1.9	1.2	0.1	-0.8	-1.2	-1.1	-0.7	-0.2	0.4	1.1	1.8	2.3
	2.4	1.8	0.9	-0.1	-0.7	-0.8	-0.6	-0.2	0.2	0.6	1.1	1.6
16 Tu	1.8	1.5	0.7	-0.2	-0.9	-1.0	-0.7	-0.3	0.2	0.7	1.2	1.8
	2.1	2.0	1.5	0.6	-0.2	-0.6	-0.6	-0.3	0.1	0.3	0.7	1.1
17 W	1.4	1.5	1.1	0.4	-0.4	-0.8	-0.8	-0.4	0.0	0.5	0.8	1.2
	1.7	1.9	1.8	1.2	0.4	-0.2	-0.4	-0.3	0.0	0.2	0.4	0.6
18 Th	0.9	1.2	1.2	0.9	0.2	-0.4	-0.7	-0.5	-0.1	0.2	0.5	0.8
	1.2	1.6	1.8	1.6	1.1	0.4	-0.1	-0.3	-0.2	0.1	0.2	0.3
19 F	0.5	0.8	1.1	1.1	0.8	0.2	-0.3	-0.5	-0.4	0.0	0.3	0.5
	0.8	1.1	1.6	1.8	1.6	1.1	0.4	-0.1	-0.2	-0.1	0.0	0.1
20 Sa	0.2	0.4	0.8	1.1	1.2	0.9	0.3	-0.2	-0.4	-0.3	-0.1	0.1
	0.4	0.7	1.1	1.6	1.9	1.8	1.2	0.5	-0.1	-0.3	-0.3	-0.2
21 Su	-0.1	0.0	0.4	0.9	1.4	1.4	1.1	0.4	-0.2	-0.5	-0.5	-0.3
	-0.1	0.2	0.6	1.3	1.9	2.2	1.9	1.3	0.4	-0.2	-0.5	-0.6
22 M	-0.5	-0.3	0.0	0.6	1.2	1.7	1.8	1.3	0.4	-0.3	-0.7	-0.8
	-0.6	-0.3	0.1	0.7	1.5	2.2	2.5	2.1	1.2	0.3	-0.5	-0.9
23 Tu	-0.9	-0.8	-0.5	0.1	0.9	1.7	2.2	2.1	1.4	0.4	-0.5	-1.0
	-1.1	-0.9	-0.5	0.1	0.9	1.9	2.6	2.8	2.2	1.1	-0.1	-0.9
24 W	-1.3	-1.3	-1.0	-0.4	0.4	1.4	2.3	2.7	2.4	1.4	0.2	-0.8
	-1.4	-1.5	-1.2	-0.6	0.2	1.3	2.3	3.0	2.9	2.1	0.8	-0.5
25 Th	-1.3	-1.7	-1.5	-1.0	-0.3	0.8	1.9	2.8	3.1	2.5	1.3	-0.1
	-1.2	-1.7	-1.7	-1.3	-0.6	0.4	1.6	2.6	3.2	2.9	1.9	0.4
26 F	-0.9	-1.7	-1.9	-1.6	-0.9	0.0	1.2	2.4	3.3	3.3	2.5	1.1
	-0.4	-1.5	-2.0	-1.9	-1.3	-0.4	0.7	1.9	2.9	3.2	2.7	1.5
27 Sa	0.0	-1.3	-2.0	-2.0	-1.5	-0.7	0.4	1.7	2.8	3.5	3.4	2.4
	0.8	-0.7	-1.7	-2.0	-1.8	-1.2	-0.2	0.9	2.1	2.9	3.1	2.4
28 Su	1.1	-0.4	-1.6	-2.1	-1.9	-1.3	-0.4	0.8	2.0	3.1	3.6	3.2
	2.1	0.6	-0.8	-1.7	-1.9	-1.6	-0.9	0.0	1.0	2.1	2.8	2.8
29 M	2.0	0.7	-0.7	-1.7	-2.0	-1.7	-1.0	-0.1	1.0	2.2	3.1	3.5
	3.0	1.9	0.4	-0.9	-1.6	-1.7	-1.3	-0.7	0.1	1.0	2.0	2.5
30 Tu	2.4	1.6	0.4	-0.8	-1.6	-1.7	-1.4	-0.7	0.1	1.1	2.1	3.0
	3.2	2.7	1.6	0.3	-0.7	-1.3	-1.3	-1.0	-0.6	0.1	0.9	1.7

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

October, 2003

(EST/EDT Daylight Savings in effect from April 6 to October 26)

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 W	2.2	2.1	1.3	0.2	-0.8	-1.3	-1.4	-1.0	-0.5	0.2	1.0	2.0
	2.7	2.9	2.5	1.5	0.4	-0.5	-0.9	-1.0	-0.8	-0.5	0.0	0.7
2 Th	1.5	1.9	1.8	1.2	0.3	-0.6	-1.0	-1.0	-0.8	-0.4	0.1	0.8
	1.7	2.4	2.7	2.3	1.5	0.5	-0.2	-0.6	-0.8	-0.7	-0.6	-0.2
3 F	0.5	1.3	1.8	1.7	1.2	0.4	-0.3	-0.7	-0.8	-0.7	-0.5	-0.1
	0.6	1.5	2.2	2.6	2.3	1.5	0.7	0.0	-0.4	-0.7	-0.8	-0.7
4 Sa	-0.3	0.4	1.2	1.7	1.8	1.3	0.6	0.0	-0.5	-0.7	-0.7	-0.6
	-0.3	0.4	1.3	2.2	2.5	2.3	1.6	0.8	0.1	-0.4	-0.7	-0.9
5 Su	-0.9	-0.4	0.4	1.3	1.9	2.0	1.5	0.8	0.1	-0.4	-0.7	-0.9
	-0.8	-0.5	0.3	1.3	2.2	2.6	2.3	1.6	0.7	0.0	-0.5	-0.9
6 M	-1.1	-1.0	-0.4	0.5	1.5	2.2	2.2	1.7	0.8	0.1	-0.5	-0.9
	-1.1	-1.0	-0.5	0.4	1.5	2.4	2.7	2.3	1.5	0.6	-0.2	-0.7
7 Tu	-1.1	-1.2	-0.9	-0.2	0.9	1.9	2.5	2.4	1.7	0.8	-0.1	-0.7
	-1.1	-1.2	-1.1	-0.4	0.6	1.7	2.5	2.7	2.2	1.2	0.2	-0.5
8 W	-1.0	-1.3	-1.2	-0.7	0.2	1.3	2.3	2.8	2.4	1.6	0.5	-0.4
	-1.0	-1.3	-1.3	-1.0	-0.2	0.9	2.0	2.7	2.6	1.9	0.8	-0.2
9 Th	-0.9	-1.3	-1.3	-1.1	-0.4	0.7	1.8	2.7	2.9	2.3	1.3	0.1
	-0.7	-1.2	-1.4	-1.2	-0.7	0.2	1.3	2.3	2.7	2.4	1.4	0.3
10 F	-0.7	-1.2	-1.4	-1.2	-0.8	0.1	1.2	2.3	2.9	2.8	2.0	0.8
	-0.3	-1.0	-1.3	-1.3	-1.0	-0.3	0.6	1.7	2.5	2.6	2.0	0.9
11 Sa	-0.2	-1.0	-1.4	-1.3	-1.0	-0.3	0.6	1.7	2.6	3.0	2.6	1.6
	0.4	-0.6	-1.2	-1.3	-1.1	-0.6	0.1	1.0	1.9	2.4	2.3	1.5
12 Su	0.4	-0.7	-1.3	-1.4	-1.1	-0.6	0.1	1.1	2.0	2.7	2.8	2.2
	1.1	-0.1	-0.9	-1.2	-1.1	-0.8	-0.2	0.4	1.3	2.0	2.3	1.9
13 M	1.0	-0.1	-1.0	-1.3	-1.2	-0.7	-0.1	0.6	1.4	2.2	2.6	2.5
	1.8	0.7	-0.4	-1.0	-1.1	-0.8	-0.4	0.1	0.7	1.4	1.9	1.9
14 Tu	1.4	0.5	-0.5	-1.1	-1.2	-0.8	-0.3	0.3	0.9	1.6	2.2	2.4
	2.1	1.3	0.3	-0.6	-0.9	-0.8	-0.5	0.0	0.4	0.9	1.3	1.7
15 W	1.6	1.0	0.1	-0.7	-1.0	-0.9	-0.4	0.1	0.6	1.1	1.6	2.1
	2.2	1.8	1.0	0.1	-0.6	-0.7	-0.5	-0.1	0.2	0.5	0.8	1.2
16 Th	1.4	1.3	0.7	-0.1	-0.7	-0.9	-0.6	-0.1	0.4	0.8	1.2	1.6
	1.9	1.9	1.5	0.7	0.0	-0.5	-0.5	-0.3	0.1	0.3	0.5	0.8
17 F	1.1	1.2	1.1	0.5	-0.2	-0.6	-0.7	-0.3	0.1	0.5	0.8	1.1
	1.4	1.7	1.7	1.3	0.6	0.0	-0.4	-0.4	-0.1	0.1	0.3	0.4
18 Sa	0.7	1.0	1.2	1.0	0.5	-0.1	-0.5	-0.5	-0.2	0.2	0.5	0.7
	1.0	1.4	1.7	1.7	1.3	0.6	0.0	-0.4	-0.3	-0.2	0.0	0.1
19 Su	0.3	0.7	1.1	1.3	1.1	0.6	0.0	-0.4	-0.5	-0.2	0.0	0.3
	0.5	0.9	1.4	1.8	1.8	1.4	0.7	0.0	-0.4	-0.5	-0.3	-0.2
20 M	0.0	0.3	0.8	1.3	1.6	1.4	0.8	0.1	-0.4	-0.6	-0.5	-0.2
	0.0	0.4	0.9	1.6	2.0	2.0	1.5	0.7	-0.1	-0.6	-0.7	-0.6
21 Tu	-0.4	-0.1	0.4	1.1	1.7	2.0	1.7	1.0	0.1	-0.6	-0.8	-0.8
	-0.6	-0.2	0.3	1.1	1.9	2.4	2.3	1.6	0.5	-0.4	-1.0	-1.1
22 W	-1.0	-0.6	-0.1	0.7	1.6	2.3	2.5	2.0	1.0	0.0	-0.9	-1.2
	-1.2	-0.9	-0.4	0.4	1.3	2.2	2.7	2.4	1.5	0.3	-0.7	-1.4
23 Th	-1.5	-1.3	-0.7	0.0	1.1	2.1	2.9	2.9	2.2	1.0	-0.3	-1.2
	-1.6	-1.5	-1.1	-0.4	0.6	1.7	2.6	2.9	2.5	1.4	0.0	-1.2
24 F	-1.8	-1.8	-1.4	-0.7	0.3	1.5	2.7	3.4	3.2	2.3	0.8	-0.6
	-1.6	-1.9	-1.8	-1.2	-0.4	0.8	2.0	2.9	3.1	2.4	1.1	-0.4
25 Sa	-1.6	-2.1	-2.0	-1.4	-0.5	0.7	2.0	3.1	3.7	3.4	2.2	0.6
	-0.9	-1.8	-2.1	-1.9	-1.2	-0.2	1.0	2.2	3.0	3.0	2.2	0.7
26 Su	-0.8	-1.9	-2.0	-1.3	-0.3	1.0	2.4	3.5	3.8	3.3	2.0	0.3
	-1.1	-2.0	-2.1	-1.8	-1.1	0.0	1.2	2.3	3.0	2.8	1.9	0.4
27 M	-1.1	-2.0	-2.2	-1.9	-1.1	0.0	1.3	2.6	3.5	3.8	3.1	1.7
	0.1	-1.2	-1.9	-2.0	-1.6	-0.9	0.1	1.3	2.3	2.8	2.5	1.5
28 Tu	0.1	-1.2	-1.9	-2.0	-1.6	-0.8	0.2	1.4	2.6	3.4	3.5	2.8
	1.5	0.0	-1.2	-1.7	-1.7	-1.3	-0.7	0.2	1.2	2.1	2.5	2.2
29 W	1.2	-0.1	-1.1	-1.7	-1.7	-1.3	-0.6	0.3	1.4	2.5	3.2	3.2
	2.5	1.3	0.0	-1.0	-1.4	-1.4	-1.1	-0.6	0.2	1.1	1.9	2.2
30 Th	1.9	1.0	-0.1	-0.9	-1.3	-1.3	-1.0	-0.4	0.3	1.2	2.2	2.8
	2.9	2.2	1.1	0.1	-0.7	-1.1	-1.1	-0.9	-0.6	0.1	0.9	1.7
31 F	2.0	1.8	1.0	0.1	-0.6	-1.0	-1.0	-0.8	-0.4	0.2	1.0	1.9
	2.5	2.6	2.0	1.1	0.2	-0.4	-0.8	-0.9	-0.9	-0.6	-0.1	0.7

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Standard Time

November, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 Sa	1.5	1.9	1.7	1.1	0.3	-0.3	-0.7	-0.7	-0.7	-0.5	0.0	0.7
	1.6	2.3	2.4	1.9	1.1	0.3	-0.3	-0.6	-0.8	-0.9	-0.7	-0.2
2 Su	0.7	1.5	1.9	1.8	1.2	0.5	-0.1	-0.5	-0.7	-0.8	-0.7	-0.2
	0.6	1.5	2.2	2.3	1.9	1.1	0.4	-0.2	-0.6	-0.9	-1.0	-0.8
3 M	-0.2	0.8	1.6	2.1	1.9	1.3	0.6	0.0	-0.4	-0.7	-0.9	-0.8
	-0.3	0.5	1.5	2.2	2.3	1.8	1.0	0.3	-0.3	-0.7	-1.0	-1.0
4 Tu	-0.7	0.0	1.0	1.9	2.3	2.0	1.4	0.6	-0.1	-0.5	-0.9	-1.0
	-0.9	-0.3	0.6	1.6	2.2	2.2	1.7	0.8	0.1	-0.5	-0.9	-1.1
5 W	-1.0	-0.6	0.3	1.4	2.2	2.5	2.1	1.3	0.4	-0.3	-0.8	-1.0
	-1.1	-0.9	-0.1	0.9	1.8	2.3	2.1	1.4	0.5	-0.3	-0.8	-1.1
6 Th	-1.2	-0.9	-0.3	0.7	1.8	2.5	2.6	2.0	1.1	0.1	-0.6	-1.0
	-1.2	-1.1	-0.7	0.2	1.2	2.1	2.4	2.0	1.1	0.1	-0.7	-1.1
7 F	-1.2	-1.1	-0.7	0.1	1.2	2.2	2.8	2.6	1.8	0.7	-0.2	-0.9
	-1.2	-1.2	-1.0	-0.4	0.5	1.5	2.2	2.3	1.7	0.6	-0.4	-1.0
8 Sa	-1.3	-1.2	-0.9	-0.3	0.6	1.7	2.6	2.9	2.4	1.4	0.3	-0.6
	-1.1	-1.2	-1.1	-0.7	0.0	0.9	1.8	2.3	2.1	1.2	0.2	-0.8
9 Su	-1.3	-1.3	-1.1	-0.6	0.1	1.1	2.1	2.8	2.8	2.1	1.0	-0.1
	-0.9	-1.2	-1.2	-0.9	-0.4	0.4	1.2	2.0	2.2	1.7	0.8	-0.3
10 M	-1.1	-1.4	-1.2	-0.8	-0.2	0.6	1.5	2.3	2.8	2.6	1.7	0.5
	-0.5	-1.1	-1.2	-1.0	-0.6	0.0	0.7	1.4	1.9	2.0	1.3	0.3
11 Tu	-0.7	-1.2	-1.3	-1.0	-0.4	0.2	1.0	1.8	2.4	2.6	2.2	1.3
	0.1	-0.7	-1.1	-1.0	-0.7	-0.3	0.3	0.9	1.5	1.8	1.6	0.9
12 W	-0.1	-0.9	-1.2	-1.1	-0.6	0.0	0.6	1.2	1.9	2.3	2.4	1.8
	0.8	-0.2	-0.8	-1.0	-0.8	-0.4	0.0	0.5	1.0	1.4	1.6	1.3
13 Th	0.6	-0.3	-1.0	-1.1	-0.8	-0.3	0.3	0.8	1.3	1.9	2.2	2.1
	1.4	0.5	-0.4	-0.8	-0.8	-0.5	-0.1	0.2	0.6	1.0	1.3	1.4
14 F	1.0	0.3	-0.5	-0.9	-0.9	-0.5	0.0	0.5	0.9	1.4	1.8	2.0
	1.8	1.1	0.3	-0.5	-0.8	-0.7	-0.3	0.0	0.3	0.6	0.9	1.2
15 Sa	1.3	0.9	0.2	-0.5	-0.8	-0.7	-0.3	0.2	0.6	0.9	1.3	1.7
	1.8	1.6	1.0	0.1	-0.5	-0.7	-0.6	-0.2	0.0	0.3	0.6	0.9
16 Su	1.2	1.3	0.9	0.2	-0.4	-0.7	-0.6	-0.2	0.2	0.5	0.8	1.2
	1.6	1.8	1.5	0.9	0.1	-0.5	-0.7	-0.6	-0.3	0.0	0.2	0.6
17 M	1.0	1.4	1.4	1.0	0.3	-0.4	-0.7	-0.6	-0.3	0.1	0.4	0.7
	1.2	1.6	1.8	1.6	0.9	0.0	-0.6	-0.8	-0.7	-0.4	-0.1	0.2
18 Tu	0.7	1.3	1.7	1.7	1.2	0.4	-0.3	-0.7	-0.7	-0.5	-0.2	0.2
	0.6	1.2	1.8	2.0	1.7	0.9	-0.1	-0.8	-1.0	-0.9	-0.7	-0.3
19 W	0.2	0.9	1.6	2.1	2.1	1.5	0.5	-0.4	-0.9	-1.0	-0.8	-0.5
	0.0	0.6	1.4	2.0	2.2	1.8	0.8	-0.2	-1.0	-1.3	-1.2	-0.9
20 Th	-0.4	0.3	1.2	2.1	2.6	2.5	1.7	0.5	-0.5	-1.2	-1.3	-1.2
	-0.8	-0.1	0.7	1.6	2.3	2.4	1.8	0.7	-0.5	-1.3	-1.7	-1.5
21 F	-1.1	-0.4	0.6	1.7	2.6	3.1	2.8	1.8	0.4	-0.8	-1.5	-1.7
	-1.5	-1.0	-0.2	0.9	1.9	2.6	2.6	1.8	0.5	-0.8	-1.7	-2.0
22 Sa	-1.8	-1.2	-0.3	0.9	2.1	3.1	3.5	3.0	1.8	0.3	-1.0	-1.8
	-2.0	-1.7	-1.0	-0.1	1.0	2.1	2.8	2.6	1.7	0.3	-1.1	-2.0
23 Su	-2.2	-1.9	-1.2	-0.1	1.2	2.5	3.5	3.7	3.0	1.7	0.0	-1.3
	-2.0	-2.1	-1.8	-1.0	0.0	1.2	2.3	2.9	2.6	1.5	0.0	-1.3
24 M	-2.1	-2.3	-1.9	-1.1	0.1	1.4	2.8	3.7	3.8	2.9	1.5	-0.2
	-1.4	-2.1	-2.1	-1.7	-0.9	0.2	1.4	2.4	2.8	2.4	1.2	-0.2
25 Tu	-1.5	-2.2	-2.2	-1.7	-0.9	0.3	1.6	2.9	3.7	3.7	2.7	1.2
	-0.3	-1.5	-2.0	-2.0	-1.6	-0.8	0.3	1.4	2.4	2.7	2.2	1.0
26 W	-0.4	-1.5	-2.0	-2.0	-1.5	-0.7	0.4	1.7	2.9	3.5	3.4	2.4
	1.0	-0.4	-1.4	-1.8	-1.8	-1.4	-0.7	0.3	1.4	2.3	2.5	1.9
27 Th	0.8	-0.4	-1.4	-1.8	-1.7	-1.3	-0.5	0.4	1.6	2.7	3.2	3.0
	2.1	0.8	-0.4	-1.2	-1.6	-1.5	-1.2	-0.6	0.3	1.3	2.1	2.3
28 F	1.7	0.7	-0.4	-1.1	-1.4	-1.4	-1.0	-0.4	0.4	1.4	2.4	2.9
	2.7	1.8	0.7	-0.4	-1.0	-1.3	-1.3	-1.0	-0.5	0.3	1.2	1.9
29 Sa	2.1	1.6	0.7	-0.2	-0.9	-1.1	-1.1	-0.9	-0.4	0.3	1.2	2.1
	2.5	2.3	1.6	0.6	-0.3	-0.8	-1.0	-1.1	-0.9	-0.5	0.2	1.1
30 Su	1.8	2.0	1.5	0.7	0.0	-0.6	-0.8	-0.9	-0.8	-0.5	0.1	1.0
	1.8	2.2	2.1	1.4	0.5	-0.2	-0.6	-0.9	-1.0	-0.9	-0.5	0.2

New Bedford, Mass.
Predicted Hourly Heights

Datum = NGVD
NOAA, National Ocean Service

Standard Time

December, 2003

Day	Hours 0/12	Hours 1/13	Hours 2/14	Hours 3/15	Hours 4/16	Hours 5/17	Hours 6/18	Hours 7/19	Hours 8/20	Hours 9/21	Hours 10/22	Hours 11/23
1 M	1.1	1.8	2.0	1.5	0.8	0.1	-0.4	-0.6	-0.8	-0.8	-0.6	0.0
	0.9	1.7	2.0	1.9	1.2	0.4	-0.2	-0.6	-0.8	-0.9	-0.9	-0.4
2 Tu	0.3	1.2	1.9	2.0	1.6	0.9	0.2	-0.3	-0.6	-0.8	-0.8	-0.6
	0.0	0.8	1.6	1.9	1.7	1.0	0.3	-0.3	-0.6	-0.9	-1.0	-0.8
3 W	-0.3	0.5	1.4	2.0	2.1	1.6	0.8	0.2	-0.3	-0.6	-0.8	-0.9
	-0.6	0.0	0.9	1.6	1.9	1.6	0.9	0.1	-0.4	-0.8	-0.9	-1.0
4 Th	-0.7	-0.1	0.8	1.7	2.2	2.1	1.5	0.7	0.0	-0.5	-0.8	-0.9
	-0.9	-0.5	0.2	1.1	1.7	1.9	1.4	0.6	-0.2	-0.7	-0.9	-1.0
5 F	-0.9	-0.6	0.2	1.2	2.0	2.4	2.1	1.4	0.5	-0.2	-0.7	-0.9
	-1.0	-0.9	-0.4	0.5	1.3	1.9	1.8	1.2	0.3	-0.5	-0.9	-1.1
6 Sa	-1.1	-0.8	-0.3	0.6	1.6	2.3	2.5	2.1	1.2	0.2	-0.5	-0.9
	-1.0	-1.0	-0.7	-0.1	0.8	1.6	1.9	1.7	0.9	-0.1	-0.8	-1.1
7 Su	-1.2	-1.0	-0.6	0.1	1.0	1.9	2.6	2.5	1.8	0.8	-0.1	-0.8
	-1.1	-1.1	-0.9	-0.5	0.2	1.1	1.7	1.9	1.5	0.5	-0.4	-1.1
8 M	-1.3	-1.2	-0.9	-0.3	0.4	1.4	2.2	2.7	2.4	1.5	0.4	-0.5
	-1.0	-1.2	-1.1	-0.8	-0.2	0.5	1.3	1.8	1.8	1.2	0.2	-0.7
9 Tu	-1.3	-1.3	-1.1	-0.6	0.0	0.8	1.7	2.4	2.6	2.2	1.2	0.1
	-0.8	-1.2	-1.2	-0.9	-0.5	0.0	0.8	1.5	1.8	1.6	0.8	-0.2
10 W	-1.0	-1.4	-1.2	-0.9	-0.3	0.3	1.1	1.9	2.5	2.5	1.8	0.8
	-0.3	-1.0	-1.2	-1.0	-0.7	-0.3	0.3	0.9	1.5	1.7	1.4	0.5
11 Th	-0.5	-1.2	-1.3	-1.1	-0.6	0.0	0.6	1.4	2.0	2.4	2.2	1.5
	0.4	-0.6	-1.1	-1.1	-0.9	-0.5	-0.1	0.5	1.1	1.5	1.6	1.1
12 F	0.2	-0.7	-1.2	-1.2	-0.8	-0.3	0.3	0.9	1.5	2.0	2.3	1.9
	1.1	0.0	-0.8	-1.1	-1.0	-0.7	-0.3	0.1	0.6	1.2	1.5	1.4
13 Sa	0.9	0.0	-0.8	-1.2	-1.1	-0.6	-0.1	0.5	1.0	1.5	2.0	2.1
	1.6	0.8	-0.2	-0.9	-1.1	-0.9	-0.5	-0.1	0.3	0.8	1.2	1.5
14 Su	1.3	0.7	-0.2	-0.9	-1.1	-0.9	-0.4	0.1	0.5	1.0	1.5	1.9
	1.9	1.4	0.5	-0.4	-1.0	-1.1	-0.8	-0.4	0.0	0.4	0.9	1.3
15 M	1.5	1.3	0.6	-0.2	-0.8	-1.0	-0.8	-0.4	0.1	0.5	1.0	1.5
	1.8	1.7	1.2	0.3	-0.6	-1.1	-1.1	-0.8	-0.4	0.0	0.5	1.0
16 Tu	1.5	1.7	1.4	0.7	-0.2	-0.8	-1.0	-0.8	-0.4	0.0	0.4	0.9
	1.4	1.8	1.7	1.1	0.2	-0.7	-1.1	-1.1	-0.8	-0.4	0.0	0.5
17 W	1.2	1.7	1.9	1.6	0.8	-0.1	-0.8	-1.0	-0.9	-0.5	-0.2	0.3
	0.9	1.4	1.8	1.7	1.0	0.1	-0.8	-1.3	-1.3	-1.0	-0.5	0.0
18 Th	0.6	1.4	2.0	2.2	1.8	1.0	-0.1	-0.8	-1.1	-1.1	-0.8	-0.4
	0.2	0.8	1.5	1.9	1.8	1.0	0.0	-0.9	-1.5	-1.5	-1.2	-0.7
19 F	0.0	0.8	1.7	2.4	2.6	2.1	1.1	-0.1	-0.9	-1.3	-1.3	-1.1
	-0.6	0.1	0.9	1.7	2.1	1.9	1.0	-0.1	-1.1	-1.7	-1.7	-1.4
20 Sa	-0.8	0.0	1.0	2.0	2.8	3.0	2.3	1.2	-0.1	-1.1	-1.5	-1.6
	-1.3	-0.8	0.0	1.0	1.9	2.3	2.0	1.0	-0.2	-1.3	-1.9	-1.9
21 Su	-1.6	-0.9	0.0	1.2	2.4	3.2	3.2	2.5	1.2	-0.2	-1.3	-1.8
	-1.8	-1.5	-0.9	0.0	1.2	2.1	2.5	2.1	1.0	-0.4	-1.5	-2.1
22 M	-2.1	-1.7	-1.0	0.1	1.4	2.7	3.5	3.4	2.5	1.1	-0.4	-1.4
	-2.0	-2.0	-1.6	-0.9	0.1	1.3	2.3	2.6	2.1	0.9	-0.5	-1.6
23 Tu	-2.2	-2.2	-1.7	-0.9	0.2	1.6	2.9	3.6	3.4	2.4	0.9	-0.5
	-1.6	-2.1	-2.1	-1.6	-0.8	0.3	1.5	2.4	2.6	2.0	0.7	-0.7
24 W	-1.7	-2.2	-2.2	-1.7	-0.8	0.4	1.8	3.0	3.6	3.3	2.2	0.7
	-0.7	-1.7	-2.1	-2.0	-1.5	-0.7	0.4	1.6	2.5	2.6	1.8	0.6
25 Th	-0.8	-1.7	-2.1	-2.0	-1.5	-0.7	0.5	1.8	2.9	3.4	3.0	1.9
	0.4	-0.8	-1.6	-1.9	-1.8	-1.4	-0.5	0.6	1.7	2.4	2.4	1.6
26 F	0.4	-0.8	-1.6	-1.9	-1.8	-1.3	-0.5	0.6	1.8	2.8	3.1	2.7
	1.5	0.2	-0.9	-1.5	-1.8	-1.6	-1.2	-0.4	0.7	1.7	2.3	2.2
27 Sa	1.4	0.3	-0.8	-1.4	-1.7	-1.5	-1.1	-0.4	0.6	1.7	2.5	2.8
	2.2	1.2	0.0	-0.9	-1.4	-1.5	-1.4	-1.0	-0.2	0.7	1.7	2.2
28 Su	2.0	1.3	0.2	-0.7	-1.2	-1.4	-1.2	-0.9	-0.3	0.6	1.5	2.2
	2.4	1.8	0.9	-0.1	-0.9	-1.2	-1.3	-1.1	-0.8	-0.1	0.8	1.6
29 M	2.0	1.8	1.1	0.2	-0.5	-0.9	-1.1	-1.0	-0.8	-0.3	0.5	1.3
	1.9	2.0	1.5	0.6	-0.2	-0.8	-1.0	-1.1	-0.9	-0.6	0.0	0.8
30 Tu	1.6	1.9	1.7	1.0	0.2	-0.4	-0.7	-0.8	-0.8	-0.7	-0.3	0.4
	1.2	1.7	1.7	1.2	0.4	-0.3	-0.7	-0.9	-0.9	-0.8	-0.5	0.1
31 W	0.9	1.6	1.9	1.6	0.9	0.2	-0.3	-0.6	-0.7	-0.7	-0.6	-0.3
	0.4	1.1	1.5	1.5	0.9	0.2	-0.4	-0.7	-0.8	-0.8	-0.7	-0.4